

# **Utah Weekly Pertussis Update**

2019 data, through MMWR week ending February 9 (MMWR week 6)


Data presented in this report are based on current data available and will be subject to change weekly.

#### **Data Summary**

Total number of cases reported, 2019 year-to-date		Utah Incidence rate, 2019 year-to-date (YTD) per 100,000	
(YTD)	24	person-years	6.7
Total number of cases reported 2018	428	Utah Incidence rate, 2018 per 100,000 person-years	14.6
Number of cases reported in past week	3	National Incidence rate*, 2017 per 100,000 person-years.	5.8
Total number of cases reported, through same time			
period 2018	32	2019 Hospitalizations	1
	<1		
Age groups with the highest rates	5-14	2019 Cases in infants <1 year	1

<sup>\*</sup>National Incidence Rate is updated as released by the Centers for Disease Control and Prevention.

#### Number of cases reported by week



<sup>\*</sup>Additional cases may have occurred, especially in the most recent 3 weeks that have not yet been reported, as indicated by the grayed out section of the graph above.

#### 2019 Year-to-Date Incidence Rates, By Age

	2019	2017	
Age (years)	Cases	population	Rate*
<1	1	51,401	16.9
1-4	2	203,799	8.5
5-14	8	521,331	13.3
15-24	6	495,829	10.5
25-34	1	457,423	1.9
35-44	1	422,547	2.1
45-54	3	317,532	8.2
55-64	2	296,399	5.9
65+	0	335,572	0.0
Unknown	0	-	-
Total	24	3,101,833	6.7

<sup>\*</sup> Rate is calculated per 100,000 person years.


Infants less than 1 year of age have historically had the highest incidence rates of pertussis due to their susceptibility.

### School Age Incidence Rates, 2019 Year-to-Date

	Age		2017	
Grade	(years)	<b>2019 Cases</b>	Population	Rate*
Preschool	3-4	0	102,181	0.0
Kindergarten	5	0	49,869	0.0
1	6	1	51,269	17.0
2	7	0	52,299	0.0
3	8	1	52,131	16.7
4	9	1	53,612	16.2
5	10	2	53,712	32.4
6	11	0	52,765	0.0
7	12	2	52,359	33.2
8	13	1	51,910	16.7
9	14	0	51,405	0.0
10	15	2	49,974	34.8
11	16	0	49,983	0.0
12	17	1	50,211	17.3

<sup>\*</sup> Rate is calculated per 100,000 person-years. School age incidence rates were calculated using the average age of a student in each grade. High incidence rates in 5th and 6th grade may be due to waining immunity.

## Utah Case Counts of Pertussis, 2014-2019\* Year to Date



Pertussis tends to be cyclical. Reports have increased in Utah since 2010, peaked in 2012, and are currently trending downward. 2019 data, through MMWR week ending January 5 (MMWR week 1)



## Incidence of Pertussis by Local Health Department, 2019 YTD

Local Health Department	2019 Cases	Rate*
Bear River	0	0.0
Central Utah	0	0.0
Davis County	1	2.5
Salt Lake County	11	8.4
San Juan County	0	0.0
Southeast Utah	0	0.0
Southwest Utah	4	14.7
Summit County	0	0.0
Tooele County	2	25.8
TriCounty	0	0.0
Utah County	3	4.3
Wasatch County	0	0.0
Weber-Morgan	3	9.9

<sup>\* 2019</sup> data includes pertussis cases reported year to date. 2014-2018 data reflects cases reported during the entire calendar year for each year.

